

SINGLE-SKIN [NON-INSULATED]
AUTOMOTIVE BOOTHS

 P. (800) 535 – 8196

 F. (909) 419 – 7020

 SPRAYTECH.COM

NON-INSULATED (SINGLE-SKIN)

Spray-Tech/Junair offers an affordable approach to outfitting your shop with the best finishing technology the industry has to offer. Our single-wall, non-insulated spray booths contain all of the highly regarded features our customers have come to expect, all in an affordable ETL listed spray booth package.

Looking for a cost-effective paint booth? Consider our line of single wall spray booths. Available in multiple airflow configurations that can be completely customized to fit any need.

COMMON CONFIGURATIONS:




FULL DOWNDRAFT



SIDE DOWNDRAFT




SEMI DOWNDRAFT



REVERSE FLOW




FRONT FLOW




FULL DOWNDRAFT

Air flows from ceiling to filtered pit in floor. Most powerful configuration for overspray clearing.



SIDE DOWNDRAFT

Air flows from ceiling to filters that run along full length of booth walls.



SEMI DOWNDRAFT

Air flows from the ceiling, across booth, to large high-volume filters in rear of booth.


No pit required.



REVERSE FLOW

Air flows from filters in rear wall to front filter banks in corners of spray booth capturing contaminants efficiently.

No pit required.



FRONT FLOW

Air flows from filtered doors to filter banks in the rear wall of spray booth capturing contaminants efficiently.

No pit required.

CUSTOM CONFIGURATIONS AVAILABLE

AVAILABLE FEATURES:

- G90 Galvanized Steel Panel Construction
- Tube-Axial Fans designed for quiet operation
- Superior Fit & Finish
- ETL Listed Package
- Powder Coating (Optional)

Spray-Tech/Junair has over twenty years of experience manufacturing finishing equipment. We are experts at designing and building highly customized solutions that range from exotic draft configurations to outfitting factories with entirely automated finishing processes.


We can help! Call us or visit SprayTech.com today.

SPRAY-TECH/JUNAIR IS ON THE LEADING-EDGE:

Our entire line of single-skin spray booths are created with the highest standards in mind.

Spray-Tech/Junair employs fiber optic laser technology and precision CNC controlled fabrication equipment to ensure perfect alignment. All panels are squared robotically for superior fit and finish, allowing fast installations and years of unparalleled performance.







FULL DOWNDRAFT	24' SD24149P	27' SD27149P
Light Fixtures	(14) Industry-Leading LED Light Fixtures	(16) Industry-Leading LED Light Fixtures
Inside Dimensions	24'L x 14'W x 9'H	27'L x 14'W x 9'H
Outside Dimensions	24'4"L x 14'4"W x 9'2"H	27'4"L x 14'4"W x 9'2"H
Entrance Door Opening	9'H x 9'W (Barn Door)	9'H x 9'W (Barn Door)
Exhaust	32" Fan 5 HP Motor	32" Fan 5 HP Motor
CFM	14,000	14,000

Value line offered for this booth style


SIDE DOWNDRAFT	24' SE24149P	27' SE27149P
Light Fixtures	(12) Industry-Leading LED Light Fixtures	(12) Industry-Leading LED Light Fixtures
Inside Dimensions	24'L x 14'W x 9'H	27'L x 14'W x 9'H
Outside Dimensions	24'L x 16'W x 10'6"H	27'L x 16'W x 10'6"H
Entrance Door Opening	9'H x 9'W (Barn Door)	9'H x 9'W (Barn Door)
Exhaust	2x 24" Fan 2 HP Motors	2x 24" Fan 2 HP Motors
CFM	13,440	13,440

Value line offered for this booth style



REVERSE FLOW	24' SR24149X	28' SR28149X
Light Fixtures	(10) Industry-Leading LED Light Fixtures	(10) Industry-Leading LED Light Fixtures
Inside Dimensions	23'10"L x 14'W x 9'H	27'4"L x 14'W x 9'H
Outside Dimensions	24'2"L x 14'5"W x 10'6"H	27'8"L x 14'4"W x 13'4"H
Entrance Door Opening	9'H x 9'4"W (Barn Door)	9'H x 9'4"W (Barn Door)
Exhaust	32" Fan 3 HP Motor	32" Fan 3 HP Motor
CFM	12,190	12,190


SEMI-DOWN CORNER	24' SS24149E	28' SS28149E
Light Fixtures	(12) Industry-Leading LED Light Fixtures	(12) Industry-Leading LED Light Fixtures
Inside Dimensions	24'3"L x 14'W x 9'H	27'5"L x 14'W x 9'H
Outside Dimensions	24'6"L x 14'4"W x 13'5"H	27'6"L x 14'4"W x 13'5"H
Entrance Door Opening	9'H x 9'4"W (Barn Door)	9'H x 9'4"W (Barn Door)
Exhaust	32" Fan 3 HP Motor	32" Fan 3 HP Motor
CFM	12,190	12,190



SEMI-DOWN REAR	24' SS23149I	26' SS26149I
Light Fixtures	(12) Industry-Leading LED Light Fixtures	(12) Industry-Leading LED Light Fixtures
Inside Dimensions	24'L x 14'W x 9'H	27'L x 14'W x 9'H
Outside Dimensions	26'10"L x 14'5"W x 11'11"H	29'11"L x 14'4"W x 11'11"H
Entrance Door Opening	9'H x 9'W (Barn Door)	9'H x 9'W (Barn Door)
Exhaust	32" Fan 3 HP Motor	32" Fan 3 HP Motor
CFM	12,200	12,200

Value line offered for this booth style

FRONT FLOW	23' SF23149I	26' SF26149I
Light Fixtures	(10) Industry-Leading LED Light Fixtures	(10) Industry-Leading LED Light Fixtures
Inside Dimensions	23'L x 14'W x 9'H	26'L x 14'W x 9'H
Outside Dimensions	24'2"L x 14'4"W x 11'11"H	27'3"L x 14'5"W x 11'11"H
Entrance Door Opening	9'H x 9'W (Barn Door)	9'H x 9'W (Barn Door)
Exhaust	32" Fan 3 HP Motor	32" Fan 3 HP Motor
CFM	12,190	12,190





QUALITY – RELIABILITY & INNOVATION

For more than two decades Spray-Tech/Junair has manufactured superior finishing equipment, built from quality components to provide years of worry-free operation. Our innovative designs deliver energy and application efficiencies with consistent results.

- Spray-Tech/Junair employs a team of seasoned designers proficient with the latest software and lean manufacturing principles.
- Combined, our engineering staff has well over 100 years of design experience, providing us the ability to maintain continuity in design and allowing us to accurately visualize and test our equipment before it is physically constructed.

Ask our expert engineers to find a practical solution for your process today.



PRODUCING ONLY THE HIGHEST QUALITY FINISHING EQUIPMENT SINCE 1994

Est. 1994 and based in Rialto, CA, Spray-Tech/Junair is an American brand whose products have achieved international reach & relevance.

Spray-Tech/Junair produces some of the world's most efficient industrial finishing products that deliver exceptional results while leading the industry in eco-friendly design. Spray-Tech/Junair is dedicated to doing business without damaging the environment; that's why we utilize solar-panel technology to run our manufacturing facility.

REQUEST A QUOTE :

 P. (800) 535 – 8196

 F. (909) 419 – 7020

 SALES@SPRAYTECH.COM

Want to see more? Follow us on:

 LEARN MORE AT SPRAYTECH.COM

